



Fall protection

# AN245200ADD

## ENERGY ABSORBING LANYARDS

Double energy absorbing lanyard made of lightweight elastic webbing, providing freedom of movement



### Specific benefits



#### Comfort

- Elastic webbing lanyard for easy movement and safety



#### Hygiene

- Can wash harnesses and textiles with neutral soap



#### Performance

- Certification above maximum rated load 100kg: product certified at 140kg
- Webbing with better abrasion resistance and certified against sharp edges



#### Ease of Use

- Automatic carabiners for secure locking and time saving
- NFC system guarantees traceability

### Applications

- Public Works
- Finishing Works/Craftsmanship
- Chemical Industry
- Automotive
- Oil & Gas (Extraction)
- Mining

### Certifications and norms



#### EN355

HORIZONTAL CERTIFICATION  
RFU 11.062  
140 KG

### Risk Protection



Fall



Fall protection

# AN245200ADD

## ENERGY ABSORBING LANYARDS

Double energy absorbing lanyard made of lightweight elastic webbing, providing freedom of movement

### Standards - Details

### Technical details

Type of equipment	Extensible webbing lanyard
Composition of the main support	Steel, Polyester
Length (m)	2
With connector	yes
Color	Black-Orange
Connector 1	Automatic lock hook, steel, opening 19mm
SIZE	1.40 → 2 m
Ending	2 thimble ferrule loops
Connectors (structure side)	2 automatic lock hooks, steel, opening 55mm
Lifespan from manufacturing (years)	10
Weight (kg)	1,67
Fall arrest work situations	Movement on lifeline, Short vertical movement or movement on inclined surface (less than 3 m), Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection
Lenght (ft)	6.5616








Fall protection

# AN245200ADD

## ENERGY ABSORBING LANYARDS

Double energy absorbing lanyard made of lightweight elastic webbing, providing freedom of movement

### Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
AN245200ADD	Black-Orange	1.40 → 2 m	AN245200ADD	3295249265137	13295249265134	5	1	9.9 kg	29.2 cm	18.2 cm	44.6 cm



Multiple Sales



Minimum Order Quantity



Box Width



Box Depth



Box Height