

AN430



ANCHORAGE LINE TWISTED ROPE FOR CAMELEON® ASDRISS2 Ø 10,5 MM - 30 M

Ref. AN430_



Product specifications

Anchorage line in braided rope Ø 10.5mm for CAMELEON® and ASDRISS2. 1 loop sewn thimble. Equipped with an AN006 counterweight and an AM002 connector.

Rope: Polyamide.

Carabiner: Steel.

Counter-weight: Polyurethane.

COLOUR

White

SIZE

30 m

Product Use - Risks



Fall



Agriculture / Green areas
craftman



Construction / Civil engineering



Second work /



Heavy industry



Light industry



Services / Logistics



Oil / Gas



Mining



Wind energy

Product's highlights & user's benefits



AM002

x 1

Certifications and Standards



REGULATION (EU) 2016/425

EN363 : 2008 Personal fall protection equipment - Personal fall protection systems

EN364 : 1992 Personal protective equipment against falls from a height : Test method

EN365 : 2004 Personal protective equipment against falls from a height – General requirements for the instructions for use, maintenance, periodic examination, repair, marking and packaging.

EN353-2 : 2002 Personal protection equipment against falls from a height - Part 2 : Guided type fall arresters on a flexible anchor line.



EN12841 : 2006 Personal fall protection equipment - Rope access systems - Rope adjustment devices

TYPE A: Type A Rope adjusting device - Adjusting device for safety bracket

TYPE B: Type B Rope adjusting device - climbing device for work support

EN358 : 2018 Personal protective equipment for work positioning and prevention of falls from a height – Belts and lanyards for work positioning or restraint.

References

References	Bar code	COLOUR	SIZE		
AN430	3660348004534	White	30 m	5	-