



Fall protection

# ELARA280V2

KITS

Fall arrest kit with double energy absorbing lanyard for work on scaffolding



## Specific benefits



### Hygiene

- Can wash harnesses and textiles with neutral soap



### Performance

- Certification above maximum rated load 100kg; product certified at 140kg



### Cost Efficiency

- Ready-to-use economic kit

## Certifications and norms



EN 362

EN355

EN361

140 KG

## Applications

- Building
- Finishing Works/Craftsmanship
- Maintenance



Fall protection

# ELARA280V2

## KITS

Fall arrest kit with double energy absorbing lanyard for work on scaffolding

### Standards - Details

### Technical details

Type of equipment	"Positionning & scaffolding" fall arrester set
This kit includes:	1x HAR12, 1x AN213200ZDD, 1x AM002
Composition of the main support	Steel, Polyester
Lock	Automatic system, Manual system
Fastening	Automatic
Number of fall arrest attachment points	2
Anti-fall point	Dorsal, Sternal
Included elements	Storage bag
Color	Orange
Size	S/M/L
Lifespan from manufacturing	10 years
Weight	2,5 kg
Fall arrest work situations	Vertical movement on a permanent structure, Restraint, Short vertical movement or movement on inclined surface (less than 3 m), Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection



# ELARA280V2

## KITS

Fall arrest kit with double energy absorbing lanyard for work on scaffolding

Fall protection

### Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code	Multiple Sales	Minimum Order Quantity	Weight
-----------	-------	------	-------------	-------	----------	----------------	------------------------	--------